

Installing RSF-HA 11 on your IBM i

To install RSF-HA for the first time, or to upgrade to a new version of RSF-HA:

1. If you have an existing version of RSF installed, use the following command to end the RSF server on your IBM i:

RSF/ENDRSFSRV

2. If you're using a previous version of RSF-HA, use the following command to end replication on your system:

ENDSYNCRSF JOB(*ALL) RMTJRNJOB(*ALL)

3. Use the following command to ensure that no job has the RSF library in its library list:

WRKOBJLCK OBJ(RSF) OBJTYPE(*LIB)

Any jobs (including the current job) that have RSF in the library list should be ended before going on to the next step.

Note: The install may be able to proceed, even if other jobs have RSF in their library list. However, it will take longer.

4. Download and install the Install Aid tool (**InstallAid.exe**) from the [RSF-HA 11 downloads page](#) on the HelpSystems website. This tool is installed onto your PC and makes the rest of the installation easier.

This only needs to be done once, so if you have installed Install Aid before you can skip this step. **Note:** Install Aid uses FTP to connect to your IBM i systems, so it must be enabled.

5. Download **RSF11_0.zip** to your PC. Double-click to open it and extract the files.
6. Double click on the **Rsf11_0.sav** file in the zip folder. The Install Aid window will be shown.
7. Specify your iSeries TCP/IP host name or IP address.

Specify **Custom** for "Install Options."

Specify **QSECOFR** for "User," along with the correct password.

Click **Run** to begin the install.
8. Repeat step 8 above for each additional IBM i system to which RSF is to be installed, then close the Install Aid window.
9. Double-click the **RsfTools11_0.savf** in the zip folder. The Install Aid window displays.
10. Install RSF Tools by repeating step 8 above for each machine to which RSF was installed, then close the Install Aid window.
11. If you were provided a new authorization code, apply it now.